

Zebra has the right thermal transfer ribbon for your application. For standard printing on paper labels, Zebra's wax ribbons are unsurpassed for performance and value. When better image durability is required, Zebra's wax/resin ribbons will meet your requirements. For the ultimate in chemical and heat resistance, Zebra's resin ribbons can handle the harshest environments. You can be assured that when used together, our ribbons and labels will provide optimal performance with your Zebra printer and extend the life of your printhead.

Zebra's Zip Ship stocking program includes popular sizes of the most frequently ordered ribbons. Our policy is to ship orders within the next working business day. There is a minimum invoice amount of \$50 per shipment destination (waived for Sample Program orders). Products purchased in less than full inner carton quantities are subject to a \$75 broken carton charge, per destination. For custom sizes, please contact your Zebra Supplies Specialist.

	Zebra Ribbons	
Wax	Wax/Resin	Resin
2000 Standard	5555 Enhanced	5095 Performance
2100 Enhanced	3200 Performance	5100 Premium
5319 Performance	5586 Premium	Image Lock
Ribbon	Material Compatibility	Darkness Print Speed Smear/Scratch Chemical Resistance Resistance
2000 Standard	Coated Paper	Low High Low High Low High
2100 Enhanced	Coated Paper	
5319 Performance	Uncoated/Coated Paper	
5555 Enhanced	Coated Paper/Matte Synthetics	
3200 Performance	Coated Paper/Matte Synthetics	
5586 Premium	Matte Synthetics	
5095 Performance	Matte/Gloss Synthetics	
5100 Premium	Gloss Synthetics	



				Ribbor	n		
	Printer		Core Size	Max	Length	Max	Width
	\$600™	1"	25.4mm	1476'	450m	4.5"	114mm
vs.	S4M™	1"	25.4mm	1476'	450m	4.3"	110mm
Printers	Z4MPlus™/ZM400™	1"	25.4mm	1476'	450m	4.3"	110mm
	Z6MPlus™/ZM600™	1"	25.4mm	1476'	450m	6.9"	174mm
	105SL™	1"	25.4mm	1476'	450m	4.5"	114mm
8	2746e™	1"	25.4mm	1183'	362m	4.3"	110mm
abletop	110XilllPlus™ / 110Xi4™	1"	25.4mm	1476'	450m	4.3"	110mm
ap	140XilllPlus™ / 140Xi4™	1"	25.4mm	1476'	450m	5.1"	130mm
В	170XiIIIPlus™ / 170Xi4™	1"	25.4mm	1476'	450m	6.7"	170mm
	220XilllPlus™ / 220Xi4™	1"	25.4mm	1476'	450m	8.6"	220mm
	LP 2824™ Series / LP 2824 Plus™		irect Thermal	N/A	N/A	N/A	N/A
ſS	TLP 2824™ Series / TLP 2824 Plus™	0.5"	12.7mm	244'	74m	2.2"	58mm
Printers	LP 2844™ Series		irect Thermal	N/A	N/A	N/A	N/A
复	TLP 2844™	0.5"	12.7mm	242'	74m	4.3"	110mm
9	TLP 2844-Z™	0.5"	12.7mm	244'	74m	4.3"	110mm
Desktop	TLP 3842™	0.5"	12.7mm	244'	74m	4.3"	110mm
Š	TLP 3844-Z™	0.5"	12.7mm	244'	74m	4.3"	110mm
ے ت	H 2824-Z™		irect Thermal	N/A	N/A	N/A	N/A
	G-Series™	0.5"	12.7mm	244'	74m	4.3"	110mm
	Cameo® 2 / Cameo® 3		irect Thermal	N/A	N/A	N/A	N/A
s	QL™ Series / QL Plus™ Series		irect Thermal	N/A	N/A	N/A	N/A
Printers	MZ™ Series	D	irect Thermal	N/A	N/A	N/A	N/A
4	RW™ Series / RW™420 Print Station	D	irect Thermal	N/A	N/A	N/A	N/A
	EM220™		irect Thermal	N/A	N/A	N/A	N/A
ij.	PA403™		irect Thermal	N/A	N/A	N/A	N/A
Mobile	PS 2122™		irect Thermal	N/A	N/A	N/A	N/A
2	PT400™ / PT403™	Snap-	in ribbon cartridge	52'	16m	4.3"	110mm
	P4T™	Snap-	in ribbon cartridge	98.4'	30m	4.3"	110mm
	R110Xi™	1"	25.4mm	1476'	450m	4.3"	110mm
	R170Xi™ R170Xi™	1"	25.4mm 25.4mm	1476'	450m 450m	6.7"	110mm
SIS.	R-140™	1"	25.4mm	1476'	450m 450m	5.1"	110mm
半	R402 [™]	0.5"	12.7mm	244'	74m	4.3"	110mm
Printers	R402™ R110PAX3™	1"	25.4mm	2995'	900m	4.3"	110mm
	R2844-Z™	0.5"	12.7mm	244'	74m	4.3"	110mm
Specialty	R4Mplus™	1"	25.4mm	1476'	450m	4.3"	110mm
8	110PAX4™	1"	25.4mm	2995'	900m	4.3"	110mm
g	170PAX4™	1"	25.4mm	2995'	900m	7.1"	180mm
	RP4T™	-	in ribbon cartridge	98.4	30m	4.3"	110mm
	KF41 ····	Snap-	in hibbon cartridge	90.4	30111	4.3	LIUIIII



Tabletop Wax Ribbons

2000

A standard thermal transfer wax ink formulation for printing high-quality, durable bar codes on Zebra's coated paper label stock. This wax ribbon can print at speeds up to 12 inches per second.

Length: 1,476 ft. (450m) Core: 1" ID

Wi	dth	Quan	tity Per		Outer Box	1-5 Cartons	6-29 Cartons	30+ Cartons	St	ocking	Location	ons
(Inches)	(mm)	Carton	Outer Box	Part #	Weight	(Price/Roll)	(Price/Roll)	(Price/Roll)	WI	GA	TX	CA
1.57"	40mm	24	24	02000BK04045	12 lbs.	\$5.41	\$5.14	\$4.88	Х	Х	Х	Х
2.36"	60mm	24	24	02000BK06045	23 lbs.	\$8.15	\$7.74	\$7.35	Х	Х	Х	Х
3.27"	83mm	24	24	02000BK08345	24 lbs.	\$11.29	\$10.72	\$10.18	Х	Χ	Х	X
3.50"	89mm	24	24	02000BK08945	25 lbs.	\$12.08	\$11.47	\$10.89	Х	Х	Х	Х
4.02"	102mm	24	24	02000BK10245	26 lbs.	\$13.87	\$13.17	\$12.51	Х	Х	Х	Х
4.16"	106mm	24	24	02000BK10645	30 lbs.	\$14.36	\$13.64	\$12.95	Х	Х	Х	
4.33"	110mm	24	24	02000BK11045	32 lbs.	\$14.94	\$14.19	\$13.48	Х	Х	Х	X
5.16"	131mm	24	24	02000BK13145	36 lbs.	\$17.81	\$16.91	\$16.06	Х	Х	Х	Х
6.16"	156mm	12	12	02000BK15645	25 lbs.	\$21.25	\$20.18	\$19.16	Х	Х	Х	Х
6.85"	174mm	12	12	02000BK17445	25 lbs.	\$23.63	\$22.44	\$21.31	Х	Х	Х	Х
8.66"	220mm	12	12	02000BK22045	30 lbs.	\$29.88	\$28.38	\$26.95	Х	Х	Х	

2100

A thermal transfer formulation that provides excellent print quality for normal and rotated bar codes on coated and uncoated labels and tags. Its low printhead energy requirements for image transfer make it the ideal choice for high-speed printing, up to 12 inches per second.

Wi	dth	Quan	tity Per		Outer Box	1-5 Cartons	6-29 Cartons	30+ Cartons	St	ocking	Locati	ons
(Inches)	(mm)	Carton	Outer Box	Part #	Weight	(Price/Roll)	(Price/Roll)	(Price/Roll)	WI	GA	TX	CA
1.57"	40mm	24	24	02100BK04045	14 lbs.	\$7.64	\$7.26	\$6.89	Х	Х		Х
2.36"	60mm	24	24	02100BK06045	23 lbs.	\$11.48	\$10.90	\$10.35	Х	Х		Х
3.15"	80mm	24	24	02100BK08045	24 lbs.	\$15.36	\$14.59	\$13.86	Х	Х	Х	Х
3.50"	89mm	24	24	02100BK08945	25 lbs.	\$17.02	\$16.16	\$15.35	Х	Χ	Х	
4.02"	102mm	24	24	02100BK10245	29 lbs.	\$19.52	\$18.54	\$17.61	Х	Х	Х	Х
4.16"	106mm	24	24	02100BK10645	30 lbs.	\$20.23	\$19.21	\$18.24	Х	Х	Х	Х
4.33"	110mm	24	24	02100BK11045	31 lbs.	\$21.05	\$19.99	\$18.98	Х	Х	Х	Х
5.16"	131mm	12	12	02100BK13145	17 lbs.	\$25.09	\$23.83	\$22.63	Х	Х		Х
6.16"	156mm	12	12	02100BK15645	23 lbs.	\$29.95	\$28.44	\$27.01	Х	Х		
6.85"	174mm	12	12	02100BK17445	25 lbs.	\$33.30	\$31.62	\$30.03	Х	Х		
8.66"	220mm	12	12	02100BK22045	30 lbs.	\$42.10	\$39.98	\$37.97	Х	Х		



Tabletop Wax Ribbons

5319

A best-in-class, performance wax ribbon for mulated for high-quality printing on both Zebra coated and uncoated paper facestocks. Offers unmatched printing for both visible light and infrared scannability. Excellent performance on tough-to-print uncoated and uneven tag stocks, including Tyvek. Prints at speeds up to 8 inches per second. UL recognized and CSA component acceptable when used with Zebra approved labels.

Wi	dth	Quan	tity Per		Outer Box	1-5 Cartons	6-29 Cartons	30+ Cartons	St	ocking	Locati	ons
(Inches)	(mm)	Carton	Outer Box	Part #	Weight	(Price/Roll)	(Price/Roll)	(Price/Roll)	WI	GA	TX	CA
0.94"	24mm	6	24	05319BK02445	14 lbs.	\$6.30	\$5.98	\$5.68	Х			
1.57"	40mm	6	24	05319BK04045	23 lbs.	\$10.50	\$9.97	\$9.47	Х	Х	Х	
2.36"	60mm	6	24	05319BK06045	24 lbs.	\$15.81	\$15.01	\$14.25	Х	Х	Х	х
3.27"	83mm	6	24	05319BK08345	24 lbs.	\$21.88	\$20.78	\$19.73	Х	Х	Х	Х
3.50"	89mm	6	24	05319BK08945	28 lbs.	\$23.42	\$22.24	\$21.12	Х	Х		
4.02"	102mm	6	24	05319BK10245	29 lbs.	\$26.90	\$25.55	\$24.26	Х	Х	Х	Х
4.33"	110mm	6	24	05319BK11045	30 lbs.	\$28.97	\$27.51	\$26.13	Х	Х	Х	х
5.16"	131mm	6	24	05319BK13145	38 lbs.	\$34.53	\$32.79	\$31.14	Х	Х	Х	Х
6.06"	154mm	6	12	05319BK15445	25 lbs.	\$40.54	\$38.50	\$36.56	Х	Х	Х	
6.85"	174mm	6	12	05319BK17445	27 lbs.	\$45.84	\$43.53	\$41.34	Х	Х		Х
8.66"	220mm	6	12	05319BK22045	30 lbs.	\$57.95	\$55.03	\$52.26	Х	·	·	



Tabletop Wax/Resin Ribbons

5555

A thermal transfer wax/resin ink formulation for printing bar codes on Zebra coated paper. Provides a clear image under harsh conditions. Prints at speeds up to 6 inches per second.

Length: 1,476 ft. (450m) Core: 1" ID

Wi	dth	Quan	tity Per		Outer Box	1-5 Cartons	6-29 Cartons	30+ Cartons	St	ocking	Location	ons
(Inches)	(mm)	Carton	Outer Box	Part #	Weight	(Price/Roll)	(Price/Roll)	(Price/Roll)	WI	GA	TX	CA
1.57"	40mm	6	24	05555BK04045	16 lbs.	\$12.15	\$11.54	\$10.96	Х	Х		
2.36"	60mm	6	24	05555BK06045	23 lbs.	\$18.24	\$17.32	\$16.45		Χ		
3.27"	83mm	6	24	05555BK08345	22 lbs.	\$25.22	\$23.95	\$22.74	Х		Х	Х
3.50"	89mm	6	24	05555BK08945	25 lbs.	\$27.04	\$25.68	\$24.39	Х		Х	
4.33"	110mm	6	24	05555BK11045	27 lbs.	\$33.42	\$31.74	\$30.14	Х	Х		
5.16"	131mm	6	24	05555BK13145	34 lbs.	\$39.79	\$37.79	\$35.89	Х		Х	
6.06"	154mm	6	12	05555BK15445	25 lbs.	\$46.80	\$44.44	\$42.20	Х			_
6.85"	174mm	6	12	05555BK17445	25 lbs.	\$52.86	\$50.20	\$47.67	Х			
8.66"	220mm	6	12	05555BK22045	27 lbs.	\$66.83	\$63.47	\$60.28	Х			

3200

A special ink formulation for use with Zebra thermal transfer printers. Provides outstanding bar code print quality. Chemical resistant when printed on Zebra paper and synthetic label stocks. Smear- and scratch-resistant, this ribbon offers excellent staying power and durability in harsh environments. UL Recognized and CSA component acceptable when used with Zebra approved labels.

Wi	dth	Quan	tity Per		Outer Box	1-5 Cartons	6-29 Cartons	30+ Cartons	St	ocking	Location	ons
(Inches)	(mm)	Carton	Outer Box	Part #	Weight	(Price/Roll)	(Price/Roll)	(Price/Roll)	WI	GA	TX	CA
1.57"	40mm	6	24	03200BK04045	12 lbs.	\$15.66	\$14.87	\$14.12	Х	Χ	Х	
2.36"	60mm	6	24	03200BK06045	23 lbs.	\$23.55	\$22.36	\$21.23	Х	Х	Х	Х
3.15"	80mm	6	24	03200BK08045	24 lbs.	\$31.52	\$29.93	\$28.42	Х	Χ	Х	Х
3.50"	89mm	6	24	03200BK08945	25 lbs.	\$34.95	\$33.19	\$31.52	Х	Х		
4.02"	102mm	6	24	03200BK10245	29 lbs.	\$40.09	\$38.07	\$36.15	Х	Х	Х	
4.33"	110mm	6	24	03200BK11045	32 lbs.	\$43.18	\$41.01	\$38.95	Х	Х	Х	Х
5.16"	131mm	6	24	03200BK13145	36 lbs.	\$51.47	\$48.88	\$46.42	Х	Χ	Х	
6.16"	156mm	6	12	03200BK15645	23 lbs.	\$61.45	\$58.36	\$55.42	Х	Х	Х	х
6.85"	174mm	6	12	03200BK17445	25lbs.	\$68.40	\$64.96	\$61.69	Х		Х	
8.66"	220mm	6	12	03200BK22045	30 lbs.	\$86.38	\$82.03	\$77.90	Х		Х	



Tabletop Wax/Resin Ribbons

5586

A premium wax/resin ribbon that provides outstanding print quality in a variety of environmental conditions. Provides outstanding smear and scratch resistance on Zebra paper, many Zebra synthetic materials, a variety of coated paper, and matte synthetics.

Wi	dth	Quan	tity Per		Outer Box	1-5 Cartons	6-29 Cartons	30+ Cartons	St	ocking	Locati	ons
(Inches)	(mm)	Carton	Outer Box	Part #	Weight	(Price/Roll)	(Price/Roll)	(Price/Roll)	WI	GA	TX	CA
1.57"	40mm	6	24	05586BK04045	16 lbs.	\$16.37	\$15.55	\$14.77	Х	Х	Х	Х
2.36"	60mm	6	24	05586BK06045	23 lbs.	\$24.61	\$23.37	\$22.19	Х	Х		Х
3.27"	83mm	6	24	05586BK08345	24 lbs.	\$34.12	\$32.40	\$30.77	Х	Х	Х	
3.50"	89mm	6	24	05586BK08945	25 lbs.	\$36.50	\$34.66	\$32.92	Х			
4.02"	102mm	6	24	05586BK10245	29 lbs.	\$41.93	\$39.82	\$37.82	Х	Х		
4.33"	110mm	6	24	05586BK11045	27 lbs.	\$45.15	\$42.88	\$40.72	Х	Х	Х	Х
5.16"	131mm	6	24	05586BK13145	34 lbs.	\$53.81	\$51.10	\$48.53	Х	Х		
6.06"	154mm	6	12	05586BK15445	25 lbs.	\$63.19	\$60.01	\$56.99	Х			
6.85"	174mm	6	12	05586BK17445	25 lbs.	\$71.44	\$67.84	\$64.43	Х			
8.66"	220mm	6	12	05586BK22045	27 lbs.	\$90.33	\$85.78	\$81.46	Х		·	



Tabletop Resin Ribbons

5095

A performance resin ribbon for printing high-density bar codes and high-resolution graphics on a wide range of materials from matte to gloss synthetics. Offers exceptional print quality, durability and chemical resistance. UL recognized and CSA component acceptable when used with Zebra approved labels.

Length: 1,476 ft. (450m) Core: 1" ID

Wi	dth	Quan	tity Per		Outer Box	1-5 Cartons	6-29 Cartons	30+ Cartons	St	ocking	Location	ons
(Inches)	(mm)	Carton	Outer Box	Part #	Weight	(Price/Roll)	(Price/Roll)	(Price/Roll)	WI	GA	TX	CA
1.57"	40mm	6	24	05095BK04045	16 lbs.	\$28.07	\$26.66	\$25.32	Х	Х	Х	Х
2.36"	60mm	6	24	05095BK06045	23 lbs.	\$42.19	\$40.07	\$38.05	Х	Х	Х	Х
3.27"	83mm	6	24	05095BK08345	22 lbs.	\$58.45	\$55.51	\$52.72	Х	Х	Х	Х
3.50"	89mm	6	24	05095BK08945	25 lbs.	\$62.58	\$59.43	\$56.44	Х	Х		Х
4.33"	110mm	6	24	05095BK11045	27 lbs.	\$77.42	\$73.52	\$69.82	Х	Х	Х	х
5.16"	131mm	6	24	05095BK13145	34 lbs.	\$92.25	\$87.61	\$83.20	Х		Х	
6.06"	154mm	6	12	05095BK15445	25 lbs.	\$108.34	\$102.89	\$97.71	Х	Х	Х	
6.85"	174mm	6	12	05095BK17445	25 lbs.	\$122.46	\$116.30	\$110.45	Х		Х	
8.66"	220mm	6	12	05095BK22045	27 lbs.	\$154.84	\$147.05	\$139.65	Х		Х	

5100

A premium resin ribbon for printing images in harsh environments. Provides unparalleled resistance and dense black images. Produces images resistant to the harshest environments. This ribbon is recommended for use with Z-Supreme products in printed circuit board applications. UL recognized and CSA component acceptable when used with Zebra approved labels.

Wid	dth	Quan	tity Per		Outer Box	1-5 Cartons	6-29 Cartons	30+ Cartons	St	ocking	Location	ons
(Inches)	(mm)	Carton	Outer Box	Part #	Weight	(Price/Roll)	(Price/Roll)	(Price/Roll)	WI	GA	TX	CA
1.57"	40mm	6	24	05100BK04045	16 lbs.	\$52.90	\$50.24	\$47.71	Х			
2.36"	60mm	6	24	05100BK06045	23 lbs.	\$79.51	\$75.51	\$71.71	Х		Х	
3.27"	83mm	6	24	05100BK08345	22 lbs.	\$100.41	\$95.36	\$90.56	Х			
3.50"	89mm	6	24	05100BK08945	25 lbs.	\$107.48	\$102.07	\$96.93	Х			Х
4.33"	110mm	6	24	05100BK11045	27 lbs.	\$132.96	\$126.27	\$119.91		Х	Х	
5.16"	131mm	6	24	05100BK13145	34 lbs.	\$158.44	\$150.47	\$142.90	Х			
6.06"	154mm	6	12	05100BK15445	25 lbs.	\$186.09	\$176.72	\$167.83	Х			
6.85"	174mm	6	12	05100BK17445	25 lbs.	\$210.35	\$199.76	\$189.71	Х			
8.66"	220mm	6	12	05100BK22045	27 lbs.	\$265.92	\$252.54	\$239.83	Х			



Tabletop Resin Ribbons

Image Lock Resin Ribbon

To be used with 8000T Image Lock or Z-Xtreme 5000T Media

A premium resin ribbon that offers exceptional abrasion and solvent resistance on a wide variety of substrates while still providing excellent edge definition. This ribbon is an excellent choice for printing extremely dense barcodes and high-resolution graphics. Its unique resin base provides excellent resistance to outdoor elements and chemical solvents.

Length: 984 ft. (300m) Core: 1" ID

Wi	dth	Quar	tity Per		Outer Box	1-5 Cartons	6-29 Cartons	30+ Cartons	St	ocking	Locati	ons
(Inches)	(mm)	Carton	Outer Box	Part #	Weight	(Price/Roll)	(Price/Roll)	(Price/Roll)	WI	GA	TX	CA
1.57"	40mm	6	6	74775	10 lbs.	\$76.23	\$72.39	\$68.75	М			
2.36"	60mm	6	6	74776	19 lbs.	\$115.10	\$109.31	\$103.81	М			
3.15"	80mm	6	6	74777	20 lbs.	\$152.36	\$144.69	\$137.41	М			
3.94"	100mm	6	6	74778	26 lbs.	\$210.83	\$200.22	\$190.14	М			

M = Made to order (Delivery in 2 weeks) Note: Minimum Order - 6 rolls

Nylon Resin Ribbon

To be used with 8000T Nylon Tags

A resin ribbon for printing high resolution and high quality images on fabrics, films, synthetics and satins that are formulated to withstand washing, dry cleaning, ironing, and steam.

Length: 1,476 ft. (450m) Core: 1" ID

Wid	dth	Quantity Per			Outer Box	1-5 Cartons	6-29 Cartons	30+ Cartons	St	ocking	Location	ons
(Inches)	(mm)	Carton	Outer Box	Part #	Weight	(Price/Roll)	(Price/Roll)	(Price/Roll)	WI	GA	TX	CA
1.57"	40mm	6	24	74935	23 lbs.	\$35.48	\$33.69	\$31.99	М			
2.36"	60mm	6	24	74936	24 lbs.	\$53.18	\$50.50	\$47.96	М			
3.15"	80mm	6	24	74937	24 lbs.	\$70.90	\$67.33	\$63.94	М			

M = Made to order (Delivery in 2 weeks) Note: Minimum Order - 48 rolls



Tabletop Wax Ribbons

For use with 2746e printer

5319 Wax Ribbons

A best-in-class, performance wax ribbon formulated for high-quality printing on both Zebra coated and uncoated paper facestocks. Offers unmatched printing for both visible light and infrared scannability. Recommended for use on tough-to-print uncoated and uneven tag stocks, including Tyvek. Prints at speeds up to 8 inches per second. UL recognized and CSA component acceptable when used with Zebra approved labels.

Length: 1,187 ft. (362m) Core: 1" ID

Wid	dth	Quan	tity Per		Outer Box	1-5 Cartons	6-29 Cartons	30+ Cartons	St	ocking	Locati	ons
(Inches)	(mm)	Carton	Outer Box	Part #	Weight	(Price/Roll)	(Price/Roll)	(Price/Roll)	WI	GA	TX	CA
2.50"	64mm	6	24	800010-002	4.5 lbs.	\$17.75	\$16.86	\$16.01	Х	Х		
3.30"	84mm	6	24	800010-003	5.5 lbs.	\$23.50	\$22.32	\$21.20	Х			
4.33"	110mm	6	24	800010-004	6.5 lbs.	\$30.62	\$29.08	\$27.62	Х			Х

Note: Minimum Order - 24 rolls

Tabletop Wax/Resin Ribbons

For use with 2746e printer

3200 Wax/Resin Ribbons

A special ink formulation for use with Zebra thermal transfer printers. Provides outstanding bar code print quality. Chemical resistant when printed on Zebra paper and synthetic label stocks. Smear- and scratch-resistant, this ribbon offers excellent staying power and durability in harsh environments. UL Recognized and CSA component acceptable when used with Zebra approved labels.

Length: 1,187 ft. (362m) Core: 1" ID

Wi	dth	Quar	tity Per		Outer Box	1-5 Cartons	6-29 Cartons	30+ Cartons	St	ocking	Locati	ons
(Inches)	(mm)	Carton	Outer Box	Part #	Weight	(Price/Roll)	(Price/Roll)	(Price/Roll)	WI	GA	TX	CA
2.50"	64mm	6	36	800011-002	4.5 lbs.	\$21.19	\$20.12	\$19.11	Х			
3.30"	84mm	6	36	800011-003	5.5 lbs.	\$28.01	\$26.60	\$25.26	Х			
4.33"	110mm	6	36	800011-004	6.5 lbs.	\$36.47	\$34.63	\$32.89	Х			

Tabletop Resin Ribbons

For use with 2746e printer

5095 Resin Ribbons

A performance resin ribbon for printing high-density bar codes and high-resolution graphics on a wide range of materials from matte to gloss synthetics. Offers exceptional print quality, durability and chemical resistance. UL recognized and CSA component acceptable when used with Zebra approved labels.

Length: 1,187 ft. (362m) Core: 1" ID

Wi	dth	Quan	tity Per		Outer Box	1-5 Cartons	6-29 Cartons	30+ Cartons	St	ocking	Location	ons
(Inches)	(mm)	Carton	Outer Box	Part #	Weight	(Price/Roll)	(Price/Roll)	(Price/Roll)	WI	GA	TX	CA
4.33"	110mm	6	24	800005-004	6.5 lbs.	\$60.39	\$57.35	\$54.46	Х			



Tabletop Color Wax Ribbons

5319

A best-in-class, performance wax ribbon for mulated for high-quality printing on both Zebra coated and uncoated paper facestocks. Offers unmatched printing for both visible light and infrared scannability. Excellent performance on tough-to-print uncoated and uneven tag stocks, including Tyvek. Prints at speeds up to 8 inches per second. UL recognized and CSA component acceptable when used with Zebra approved labels. Available in blue, red, maroon, and green.

Length: 1,476 ft. (450m) Core: 1" ID

Wi	dth	Quar	ntity Per		Color/	Outer Box	1-5 Cartons	6-29 Cartons	30+ Cartons	Sto	cking	Locatio	ons
(Inches)	(mm)	Carton	Outer Box	Part #	PMS	Weight	(Price/Roll)	(Price/Roll)	(Price/Roll)	WI	GA	TX	CA
2.36"	60mm	6	24	05319BL06045	Blue 286C	23 lbs.	\$42.60	\$40.46	\$38.42	М			
2.36"	60mm	6	24	05319RD06045	Red 186C	23 lbs.	\$42.60	\$40.46	\$38.42	М			
2.36"	60mm	6	24	05319MN06045	Maroon 194C	23 lbs.	\$42.60	\$40.46	\$38.42	М			
2.36"	60mm	6	24	05319GN06045	Green 340C	23 lbs.	\$42.60	\$40.46	\$38.42	М			
4.33"	110mm	6	24	05319BL11045	Blue 286C	23 lbs.	\$78.19	\$74.25	\$70.51	М			
4.33"	110mm	6	24	05319RD11045	Red 186C	23 lbs.	\$78.19	\$74.25	\$70.51	М			
4.33"	110mm	6	24	05319MN11045	Maroon 194C	23 lbs.	\$78.19	\$74.25	\$70.51	М			
4.33"	110mm	6	24	05319GN11045	Green 340C	23 lbs.	\$78.19	\$74.25	\$70.51	М			

M = Made to order (Delivery in 2 weeks)



Desktop Wax Ribbons

For use with all 4" desktop printers

5319 Wax Ribbons

A best-in-class, performance wax ribbon formulated for high-quality printing on both Zebra coated and uncoated paper facestocks. Offers unmatched printing for both visible light and infrared scannability. Excellent performance on tough-to-print uncoated and uneven tag stocks, including Tyvek. UL recognized and CSA component acceptable when used with Zebra approved labels.

Length: 244 ft. (74m) Core: 0.5" ID

Wi	idth	Quar	ntity Per		Outer Box	1-5 Cartons	6-29 Cartons	30+ Cartons	St	ocking	Locati	ons
(Inches)	(mm)	Carton	Outer Box	Part #	Weight	(Price/Roll)	(Price/Roll)	(Price/Roll)	WI	GA	TX	CA
2.50"	64mm	12	48	05319GS06407	3.5 lbs.	\$3.85	\$3.66	\$3.48	Х	Х	Х	Х
3.30"	84mm	12	48	05319GS08407	4.5 lbs.	\$5.08	\$4.82	\$4.58	Х	Х	Х	х
4.33"	110mm	12	48	05319GS11007	5.5 lbs.	\$6.60	\$6.27	\$5.95	Х	Х	Х	х

Desktop Wax/Resin Ribbons

For use with all 4" desktop printers

5555 Wax/Resin Ribbons

A thermal transfer wax/resin ink formulation for printing bar codes on Zebra coated paper. Provides a clear image under harsh conditions.

Length: 244 ft. (74m) Core: 0.5" ID

Wi	dth	Quan	tity Per		Outer Box	1-5 Cartons	6-29 Cartons	30+ Cartons	St	ocking	Location	ons
(Inches)	(mm)	Carton	Outer Box	Part #	Weight	(Price/Roll)	(Price/Roll)	(Price/Roll)	WI	GA	TX	CA
2.50"	64mm	48	48	05555GS06407	3.5 lbs.	\$4.26	\$4.05	\$3.85	Х			
3.30"	84mm	48	48	05555GS08407	4.5 lbs.	\$5.59	\$5.31	\$5.04	Х			
4.33"	110mm	48	48	05555GS11007	5.5 lbs.	\$7.32	\$6.95	\$6.60	Х			

3200 Wax/Resin Ribbons

A special ink formulation for use with Zebra thermal transfer printers. Provides outstanding bar code print quality. Chemical resistant when printed on Zebra paper and synthetic label stocks. Smear- and scratch-resistant, this ribbon offers excellent staying power and durability in harsh environments. UL Recognized and CSA component acceptable when used with Zebra approved labels.

Length: 244 ft. (74m) Core: 0.5" ID

Wi	dth	Quan	tity Per		Outer Box	1-5 Cartons	6-29 Cartons	30+ Cartons	St	ocking	Location	ons
(Inches)	(mm)	Carton	Outer Box	Part #	Weight	(Price/Roll)	(Price/Roll)	(Price/Roll)	WI	GA	TX	CA
2.50"	64mm	12	12	03200GS06407	3.5 lbs.	\$4.68	\$4.44	\$4.22	Х	Х	Х	Х
3.30"	84mm	12	12	03200GS08407	4.5 lbs.	\$6.13	\$5.82	\$5.53	Х	Х	Х	Х
4.33"	110mm	12	12	03200GS11007	5.5 lbs.	\$8.03	\$7.63	\$7.25	Х	Х	Х	Х



Desktop Wax/Resin Ribbons

For use with all 4" desktop printers

5586 Wax/Resin Ribbons

A premium wax/resin ribbon that provides outstanding print quality in a variety of environmental conditions. Provides outstanding smear and scratch resistance on Zebra paper, many Zebra synthetic materials, a variety of coated paper, and matte synthetics.

Length: 244 ft. (74m) Core: 0.5" ID

Wi	dth	Quan	tity Per		Outer Box	1-5 Cartons	6-29 Cartons	30+ Cartons	St	ocking	Location	ons
(Inches)	(mm)	Carton	Outer Box	Part #	Weight	(Price/Roll)	(Price/Roll)	(Price/Roll)	WI	GA	TX	CA
2.50"	64mm	12	48	05586GS06407	3.5 lbs.	\$4.68	\$4.44	\$4.22	Х	Х		Х
3.30"	84mm	12	48	05586GS08407	4.5 lbs.	\$6.12	\$5.81	\$5.52	Х	Х		Х
4.33"	110mm	12	48	05586GS11007	5.5 lbs.	\$8.02	\$7.62	\$7.24	Х	Х	Х	Х

Desktop Resin Ribbons

For use with all 4" desktop printers

5095 Resin Ribbons

A performance resin ribbon for printing high-density bar codes and high-resolution graphics on a wide range of materials from matte to gloss synthetics. Offers exceptional print quality, durability and chemical resistance. UL recognized and CSA component acceptable when used with Zebra approved labels.

Length: 244 ft. (74m) Core: 0.5" ID

Wid	dth	Qua	ntity Per		Outer Box	1-5 Cartons	6-29 Cartons	30+ Cartons	S	tocking	Location	ons
(Inches)	(mm)	Carton	Outer Box	Part #	Weight	(Price/Roll)	(Price/Roll)	(Price/Roll)	WI	GA	TX	CA
2.50"	64mm	12	48	05095GS06407	3.5 lbs.	\$8.15	\$7.74	\$7.35	Х	Х	Х	Х
3.30"	84mm	12	48	05095GS08407	4.5 lbs.	\$10.68	\$10.14	\$9.63	Х	Χ	Х	Х
4.33"	110mm	12	48	05095GS11007	5.5 lbs.	\$13.97	\$13.27	\$12.60	Х	Х	Х	Х

5100 Resin Ribbons

A premium resin ribbon for printing images in harsh environments. Provides unparalleled resistance and dense black images. Produces images resistant to the harshest environments. This ribbon is recommended for use with Z-Supreme products in printed circuit board applications. UL recognized and CSA component acceptable when used with Zebra approved labels.

Length: 244 ft. (74m) Core: 0.5" ID

Wic	dth	Qua	ntity Per		Outer Box	1-5 Cartons	6-29 Cartons	30+ Cartons	St	tocking	Location	ons
(Inches)	(mm)	Carton	Outer Box	Part #	Weight	(Price/Roll)	(Price/Roll)	(Price/Roll)	WI	GA	TX	CA
2.50"	64mm	12	48	05100GS06407	3.5 lbs.	\$8.79	\$8.35	\$7.93	М			
3.30"	84mm	12	48	05100GS08407	4.5 lbs.	\$11.56	\$10.98	\$10.43	М			
4.33"	110mm	12	48	05100GS11007	5.5 lbs.	\$15.13	\$14.37	\$13.65	М			

M = Made to order (Delivery in 2 weeks)



Desktop Ribbons

Image Lock Resin Ribbon

To be used with 8000T Image Lock or Z-Xtreme 5000T Media

A premium resin ribbon that offers exceptional abrasion and solvent resistance on a wide variety of substrates while still providing excellent edge definition. This ribbon is an excellent choice for printing extremely dense barcodes and high-resolution graphics. Its unique resin base provides excellent resistance to outdoor elements and chemical solvents.

Length: 244 ft. (74m) Core: 0.5" ID

Wi	dth	Quar	ntity Per		Outer Carton	1-5 Cartons	6-29 Cartons	30+ Cartons	St	ocking	Location	ons
(Inches)	(mm)	Carton	Outer Box	Part #	Weight	(Price/Roll)	(Price/Roll)	(Price/Roll)	WI	GA	TX	CA
2.50"	64mm	12	48	74941	3 lbs.	\$35.49	\$33.70	\$32.00	М			
3.30"	84mm	12	48	74942	3.5 lbs.	\$46.35	\$44.02	\$41.80	М			
4.33"	110mm	12	48	74943	4.5 lbs.	\$60.99	\$57.92	\$55.00	М			

M = Made to order (Delivery in 2 weeks) Note: Minimum Order - 12 rolls

Nylon Resin Ribbon

To be used with 8000T Nylon Tags

A resin ribbon for printing high resolution and high quality images on fabrics, films, synthetics and satins that are formulated to withstand washing, dry cleaning, ironing, and steam.

Length: 244 ft. (74m) Core: 0.5" ID

Wid	th	Quan	tity Per		Outer Box	1-5 Cartons	6-29 Cartons	30+ Cartons	S	tocking	Location	ons
(Inches)	(mm)	Carton	Outer Box	Part #	Weight	(Price/Roll)	(Price/Roll)	(Price/Roll)	WI	GA	TX	CA
1.57"	40mm	48	48	74938	3 lbs.	\$7.30	\$6.93	\$6.58	М			
2.36"	60mm	48	48	74939	3.5 lbs.	\$10.93	\$10.38	\$9.86	М			
3.15"	80mm	48	48	74940	4.5 lbs.	\$14.55	\$13.82	\$13.12	М			

M = Made to order (Delivery in 2 weeks) Note: Minimum Order - 48 rolls



Desktop Ribbons

For use with TLP 2824 / TLP 2824 Plus printers

5319 Wax Ribbons

A best-in-class, performance wax ribbon formulated for high-quality printing on both Zebra coated and uncoated paper facestocks. Offers unmatched printing for both visible light and infrared scannability. Excellent performance on tough-to-print uncoated and uneven tag stocks, including Tyvek. Prints at speeds up to 8 inches per second. UL recognized and CSA component acceptable when used with Zebra approved labels.

Length: 244 ft. (74m) Core: 0.5" (12.7mm) ID

W	Width Quantity Per		tity Per	Outer Box		1-5 Cartons	6-29 Cartons	30+ Cartons	ns Stocking		Locations	
(Inches)	(mm)	Carton	Outer Box	Part #	Weight	(Price/Roll)	(Price/Roll)	(Price/Roll)	WI	GA	TX	CA
1.30"	33mm	12	48	800132-001	2.5 lbs.	\$2.03	\$1.93	\$1.83	Х	Х	Х	
2.25"	56.9mm	12	48	800132-002	3 lbs.	\$3.50	\$3.32	\$3.15	Х	Х	Х	х

3200 Wax/Resin Ribbons

A special ink formulation for use with Zebra thermal transfer printers. Provides outstanding bar code print quality. Chemical resistant when printed on Zebra paper and synthetic label stocks. Smear- and scratch-resistant, this ribbon offers excellent staying power and durability in harsh environments. UL Recognized and CSA component acceptable when used with Zebra approved labels.

Length: 244 ft. (74m) Core: 0.5" (12.7mm) ID

Wi	Width Quantity Per		ntity Per		Outer Box	1-5 Cartons	6-29 Cartons	ns 30+ Cartons Stocking L			Location	ocations	
(Inches)	(mm)	Carton	Outer Box	Part #	Weight	(Price/Roll)	(Price/Roll)	(Price/Roll)	WI	GA	TX	CA	
1.30"	33mm	12	12	800132-101	2.5 lbs.	\$2.43	\$2.31	\$2.19	Х				
2.25"	56.9mm	12	12	800132-102	3 lbs.	\$4.18	\$3.97	\$3.77	Х	Х	Х	Х	

5095 Resin Ribbons

A performance resin ribbon for printing high-density bar codes and high-resolution graphics on a wide range of materials from matte to gloss synthetics. Offers exceptional print quality, durability and chemical resistance. UL recognized and CSA component acceptable when used with Zebra approved labels.

Length: 244 ft. (74m) Core: 0.5" (12.7mm) ID

Wi	Width Quantity Per			Outer Box	Outer Box 1-5 Cartons 6-		6-29 Cartons 30+ Cartons		Stocking Locations			
(Inches)	(mm)	Carton	Outer Box	Part #	Weight	(Price/Roll)	(Price/Roll)	(Price/Roll)	WI	GA	TX	CA
1.30"	33mm	12	48	800132-201	2.5 lbs.	\$4.01	\$3.81	\$3.62	Х		Х	
2.25"	56.9mm	12	48	800132-202	3 lbs.	\$6.95	\$6.60	\$6.27	Х	Х		

5100 Resin Ribbons

A premium resin ribbon for printing images in harsh environments. Provides unparalleled resistance and dense black images. Produces images resistant to the harshest environments. This ribbon is recommended for use with Z-Supreme products in printed circuit board applications. UL recognized and CSA component acceptable when used with Zebra approved labels.

Length: 244 ft. (74m) Core: 0.5" (12.7mm) ID

Wi	Width Quantity Per			Outer Box		6-29 Cartons 30+ Cartons		s Stocking Loca			ons	
(Inches)	(mm)	Carton	Outer Box	Part #	Weight	(Price/Roll)	(Price/Roll)	(Price/Roll)	WI	GA	TX	CA
1.30"	33mm	12	48	05100NT03307	2.5 lbs.	\$7.53	\$7.15	\$6.79	Х			
2.25"	56.9mm	12	48	05100NT05707	3 lbs.	\$13.06	\$12.40	\$11.78	Х			

NT: No Reflective Trailer



Mobile Ribbons

For use with the P4T and RP4T printers

5555 Wax/Resin Ribbon

A thermal transfer wax/resin ink formulation for printing bar codes on Zebra coated paper. Provides a clear image under harsh conditions.

Length: 98 ft. (30m)

Wi	Width Quantity Per			Outer Box	1-5 Cartons	6-29 Cartons	30+ Cartons	Stocking Locations				
(Inches)	(mm)	Carton	Outer Box	Part #	Weight	(Price/Roll)	(Price/Roll)	(Price/Roll)	WI	GA	TX	CA
4.33"	110mm	10	10	05555BK110D	2 lbs.	\$23.28	\$22.11	\$21.00	Χ	Χ	Χ	Х

5095 Resin Ribbon

A performance resin ribbon for printing high-density bar codes and high-resolution graphics on a wide range of materials from matte to gloss synthetics. Offers exceptional print quality, durability and chemical resistance. UL recognized and CSA component acceptable when used with Zebra approved labels.

Length: 98 ft. (30m)

Wi	Width Quantity Per		tity Per		Outer Box 1-5 Cartons 6-29 Cartons		1-5 Cartons 6-29 Cartons		St	ocking	Location	ons
(Inches)	(mm)	Carton	Outer Box	Part #	Weight	(Price/Roll)	(Price/Roll)	(Price/Roll)	WI	GA	TX	CA
4.33"	110mm	10	10	05095BK110D	2 lbs.	\$33.76	\$32.06	\$30.45	Х	Х	Χ	Х

For use with the PT 400 and PT 403 printers

5555 Wax/Resin Ribbon

A thermal transfer wax/resin ink formulation for printing bar codes on Zebra coated paper. Provides a clear image under harsh conditions.

Length: 52 ft. (16m)

Wic	Width Quantity Per			Outer Box	1-5 Cartons	6-29 Cartons 30+ Cartons			Stocking Locations			
(Inches)	(mm)	Carton	Outer Box	Part #	Weight	(Price/Roll)	(Price/Roll)	(Price/Roll)	WI	GA	TX	CA
4.33"	110mm	10	10	05555BK110C	1lb.	\$17.62	\$16.73	\$15.89	Х	Х	Х	Х

5100 Resin Ribbon

A premium resin ribbon for printing images in harsh environments. Provides un paralleled resistance and dense black images. Produces images resistant to the harshest environments. This ribbon is recommended for use with Z-Supreme products in printed circuit board applications. UL recognized and CSA component acceptable when used with Zebra approved labels.

Length: 52 ft. (16m)

Page 56

Wic	Width Quantity Per		tity Per		Outer Box 1-5 Cartons 6-29 Cartons 30+ C				s Stocking Locations					
(Inches)	(mm)	Carton	Outer Box	Part #	Weight	(Price/Roll)	(Price/Roll)	(Price/Roll)	WI	GA	TX	CA		
4.33"	110mm	10	10	05100BK110C	1lb.	\$19.66	\$18.67	\$17.73	Х	Х				



Specialty Printer Ribbons

For use with PAX4 printers

2100 Wax Ribbons

A thermal transfer formulation that provides excellent print quality for normal and rotated bar codes on coated and uncoated labels and tags. Its low printhead energy requirements for image transfer make it the ideal choice for high-speed printing, up to 12 inches per second.

Length: 2,955 ft. (900m)

Wi	dth	Quan	tity Per				6-29 Cartons	30+ Cartons	Stocking Locations			
(inches)	(mm)	Carton	Outer Box	Part #	Weight	(Price/Roll)	(Price/Roll)	(Price/Roll)	WI	GA	TX	CA
2.36"	60mm	6	12	02100BK06090	15 lbs.	\$25.37	\$24.09	\$22.88	М			
3.15"	80mm	6	12	02100BK08090	20 lbs.	\$33.98	\$32.27	\$30.65	М			
4.33"	110mm	6	12	02100BK11090	30 lbs.	\$46.56	\$44.22	\$41.99	М			
5.16"	131mm	6	12	02100BK13190	33 lbs.	\$55.48	\$52.69	\$50.04	М			
6.16"	156mm	6	12	02100BK15690	39 lbs.	\$66.23	\$62.90	\$59.73	М			
6.85"	174mm	6	12	02100BK17490	44 lbs.	\$73.66	\$69.95	\$66.43	М			

M = Made to order (Delivery in 2 weeks)