

Standard program Keyboards, Keypads and Touchscreens



Table of Contents

Flexibility, Reliability and **Ergonomic Design**



Our partners are leading manufacturers, users and OEMs in markets in which more and more information must be collected. processed and distributed more and more quickly.

Constantly increasing computer use and the trend towards operatorconvenient handling are setting very high standards regarding quality and product utility of our data entry systems.

We are meeting these challenges and employ our extensive know-how in development and production specifically for the solution of our customers problems.

In this regard, we apply our instance our modular expansion possibilities. our key configurability, individual key labelling, interchangeable menu sheets, high IP-protection classes, a lifetime of more than 30 million actuations (MC series), compact design and a functional, ergonomic design and the Universal Serial Bus (USB). In addition to standard keyboards, Preh also has a great deal of knowhow and many years of experience in customer-specific OEM and project data entry solutions. More information for e.g.

- LC-Display
- Smart card reader MSR

- Legic reader (contactless transponder card)
 - **Biometry**
 - Keylock -
 - Glidepoint -
 - Microjovstick
 - Built in barcode decoder -
 - Interfaces
 - USB

 - -Daisv chain socket -Special cable lock

 - Specific key layout
 - -Laser etched legends -
 - Customized colors on request

You can find more details, especially about our latest drivers, manuals and software, on our web page http://www.preh.de. Peripheral devices and options are planned or already available. If you have questions regarding hardware and software please do not hesitate to contact Preh After Sales Service by fax +49 9771 / 92-173 or by email tech-support@preh.de The following product survey gives you a short information about our shortterm deliverable standard program of data entry systems.

| Preh Commander [®] MC 25 WX (numeric) | |
|--|-------|
| Preh Commander® MC 35 WX (numeric) | 3 |
| Preh Commander [®] MC 80 WX (numeric) | |
| Preh Commander® MC 80 WX | |
| Alpha (alphanumeric) Preh Commander® MC 84 WX | |
| (numeric) | 4 |
| Preh Commander [®] MC 128 WX (numeric) | |
| Preh Commander® MC 128 WX | |
| Alpha (alphanumeric) | 5 |
| Preh Commander [®] M 84 WX (numeric) | |
| Preh Commander [®] M 128 WX (numeric) | |
| Preh Commander® M 128 WX | |
| Alpha (alphanumeric) | 6 |
| Preh Commander [®] MR 128 WX (numeric) | |
| Preh Commander [®] MR 128 WX | |
| Combi (numeric) | 7 |
| Preh Commander [®] PC POS (alphanumeric) | |
| Preh Commander® PC POS mit | |
| Glidepoint (alphanumeric) | 8 |
| Preh Commander [®] MF 112 C (alphanumeric) | 9 |
| (alphanometre) | , |
| Preh Commander [®] MC 140 (numeric) | |
| Preh Commander [®] MC 147 (alphanumeric) | 10 |
| (aspiralization) | 10 |
| Reconfigurable Keypads MTF | 11 |
| Preh Touch Commander MC 12 | |
| Preh Screen Commander MC 12 | 12-13 |

Preh Touch Commander MC 15 14

Preh Commander[®] MC 25 WX (numeric)

Preh Commander® MC 35 WX (numeric)



Compact keyboards

Special Features

- Compact modular construction
- 25 freely programmable keys
- Key configuration technique
- Dust- and splash water resistant keypad
- IBM AT or or PS/2-interface
- Daisy-chain socket
- Menu-driven programming software
- Ergonomic, elegant design

Options

- Integrated MSR
- LC-Display
- Single, double and quadruple keys and dead tiles

Applications

Retail, restaurants, hotels, gas stations, banking and credit area, numeric keyboard etc.



Compact keyboards

Special Features

- Compact modular construction
- 35 freely programmable keys
- Key configuration technique
- Dust- and splash water resistant keypad
- IBM AT or or PS/2-interface
- Daisy-chain socket
- Menu-driven programmer software
- Ergonomic, elegant design

Options

- Integrated MSR
- Single, double and quadruple keys and dead tiles

Applications

Retail, restaurants, hotels, gas stations, banking and credit area, numeric keyboard etc.

Preh Commander[®] MC 80 WX (numeric) Preh Commander[®] MC 80 WX Alpha (alphanumeric)

Preh Commander[®] MC 84 WX (numeric)



Compact Data Entry System for Open Systems

Special Features

- Compact modular construction
- 80 freely programmable keys
- Key configuration technique
- Dust- and splash water resistant keypad
- IBM AT- or PS/2-interface
- Daisy-chain socket
- Integrated pen holder
- Menu-driven programming software
- Ergonomic, elegant design
- Integrated MSR (3 tracks)
- Status LEDs

Options

- Key lock
- Single, double and quadruple keys and dead tiles
- Alpha key layout (German, International)

Applications

Retail, restaurants, hotels, gas stations, banking and credit area etc.



Compact Data Entry System for Open Systems

Special Features

- Compact modular construction
- 84 freely programmable keys
- Key configuration technique
- Dust- and splash water resistant keypad
- IBM AT or or PS/2-interface
- Daisy-chain socket
- Integrated pen holder
- Menu-driven programming software
- Ergonomic, elegant design
- Integrated MSR (3 tracks)
- Status LEDs

Options

■ Single, double and quadruple keys and dead tiles

Applications

Retail, restaurants, hotels, gas stations, banking and credit area etc.

Preh Commander[®] MC 128 WX (numeric) Preh Commander[®] MC 128 WX Alpha (alphanumeric)



Compact Data Entry System for Open Systems

Special Features

- Compact modular construction
- 128 freely programmable keys
- Key configuration technique
- Dust- and splash water resistant keypad
- IBM AT or or PS/2-interface
- Daisy-chain socket
- Integrated pen holder
- Menu-driven programming software
- Ergonomic, elegant design
- Integrated MSR (3 tracks)
- Status LEDs

Options

- Key lock
- Single, double and quadruple keys and dead tiles
- Alphanumeric key layout (German, International)

Applications

Retail, restaurants, hotels, gas stations, banking and credit area etc.

Preh Commander[®] M 84 WX (numeric)

Preh Commander[®] M 128 WX (numeric) Preh Commander[®] M 128 WX Alpha (alphanumeric)



Modular data entry system offering unlimited flexibility for open design systems

Special Features

- Universal modular construction
- 84 freely programmable keys
- Key configuration technique
- Dirt-, grease-, dust- and splash water resistant surface
- IBM AT or or PS/2-interface
- Daisy-chain socket
- Menu-driven programming software
- Ergonomic design
- Status LEDs

Options

- MSR module (incl. status LED)
- Key lock module
- Single, double and quadruple keys and dead tiles

Applications

Retail, restaurants, hotels, gas stations, CAD-daisy-chained keyboard etc.



Modular data entry system offering unlimited flexibility for open design systems

Special Features

- Universal modular construction
- 128 freely programmable keys
- Key configuration technique
- Dirt-, grease-, dust- and splash water resistant surface IBM AT or or PS/2-interface
- Daisy-chain socket
- Menu-driven programming software
- **Ergonomic design**
- Status LEDs

Options

- MSR module (incl. status LED)
- Kev lock module
- Single, double and quadruple keys and dead tiles
- Alphanumeric key layout (German, International)

Applications

Retail, restaurants, hotels, gas stations, CAD-daisy-chained keyboard etc.

Preh Commander[®] MR 128 WX (numeric)

Preh Commander[®] MR 128 WX Combi (numeric)



Modular data entry system with IP-protected menu sheet technology

Special Features

- Universal modular construction
- Tactile short travel keyboard with 128 freely programmable keys
- Freely programmable keys
- Exchangeable menu sheets
- Dust and splash water resistant keypads
- IBM AT or or PS/2-interface
- Daisy-chain socket
- Menu-driven programming software
- Ergonomic design

Options

- MSR module
- Key lock module
- Menu sheets

Applications

Retail, restaurants, hotels, fast-food etc.



Modular data entry system with IP-protected menu sheet technology

Special Features

- Universal modular construction
- Combination of a full travel keyboard and a short travel keyboard
- Laser etched full travel keys
- Free programmable keys
- Exchangeable menu sheets
- Dust and splash water resistant keypads
- IBM AT or or PS/2-interface
- Daisy-chain socket
- Menu-driven programming software
- Ergonomic design

Options

- MSR module
- Key lock module
- Menu sheets

Applications

Retail, restaurants, hotels, fast-food etc.

Preh Commander[®] PC POS (alphanumeric)

Preh Commander[®] PC POS with Glidepoint (alphanumeric)



Freely programmable MF-keyboard with additional keypad

Special Features

- 48 freely programmable keys
- 15 freely programmable function keys
- Key configuration technique
- Dust and splash water resistant keypads
- IBM AT or or PS/2-interface
- Menu-driven programming software
- MF-key layout
- Ergonomic design

Options

- Integrated MSR (3 tracks)
- Single, double and quadruple keys and dead tiles
- Alphanumeric key layout (German, International)

Applications

Retail, banking, credit and insurance area etc.



Programmable MF-keyboard with additional keypads and glidepoint

Special Features

- Integrated glidepoint with 2 mouse buttons
- 39 freely programmable keys
- 15 freely programmable function keys
- Key configuration technique
- Dust and splash water resistant keypad
- IBM AT or or PS/2-interface
- Menu-driven programming software
- Adjustable height
- MF-key layout
- Ergonomic design
- Status LEDs

Options

- Integrated MSR (3 tracks)
- Single, double and quadruple keys and dead tiles
- Alphanumeric key layout (German, International)

Applications

Retail, banking, credit and insurance area etc.

Preh Commander® MF 112 C



High quality and compact MF2 keyboard with integrated MSR

Special Features

- MSR (3 tracks)
- Programmable key positions
- Dust and splash water resistant keypads
- PS/2 interface
- Menu-driven programming software
- Compact and ergonomical design
- Adjustable height
- MF key layout
- Status LEDs

Options

- Micro joystick
- Single, double and quadruple keys and dead tiles
- Alphanumeric key layout (German, International)

Applications

Retail, service, banking, gas stations, administration area etc.

Preh Commander[®] MC 140 (numeric)

Preh Commander[®] MC 147 (alphanumeric)



High quality and compact MF2 keyboard with integrated MSR

Special Features

- Programmable key positions
- Dust and splash water resistant keypads
- PS/2-interface
- Menu-driven programming software
- Compact and ergonomical design
- Adjustable height
- Numeric key layout with 140 programmable key positions
- Flash-RAM electronics
- Status LEDs
- Integrated MSR (3 tracks)

Options

- Micro joystick or Glidepoint
- USB interface
- Single, double and quadruple keys and dead tiles

Applications

Retail, service, banking, gas stations, administration area etc.



Preh Commander[®] MC 147 (alphanumeric)

High quality and compact MF2 keyboard with integrated MSR

Special Features

- Programmable key positions
- Dust and splash water resistant keypads
- PS/2-interface
- Menu-driven programming software
- Compact and ergonomical design
- Adjustable height
- Alphanumeric key layout (German, International)
- Flash-RAM electronics
- Status LEDs
- Integrated MSR (3 tracks)

Options

- Micro joystick or Glidepoint
- USB interface
- Single, double and quadruple keys and dead tiles

Applications

Retail, service, banking, gas stations, administration area etc.

Reconfigurable Keypads MTF



Keypads for customized OEM-solutions

Special Features

- 12, 16, 20, 25, 28, 40, 56, 60, 84 or 128 keys MTF-switch technology Dust and splash water resistant keypads

- Flextail-multipoint connector

Options

- Single, double and quadruple keys and dead tiles Key symbols with any written or laser printed labels
- Different key sets

Applications

OEM-solutions for retail, restaurants, hotels, industry etc.

Preh Touch Commander MC 12 Preh Screen Commander MC 12 multimedia base

Preh Touch Commander MC 12 Preh Screen Commander MC 12 modular base



Touchscreen with integrated power supply and loud speakers

Special Features

- Compact construction
- Flat screen 12,1" TFT with minimum 200 Cd/m²
- Angle of vision at least 90° horizontal, 50° vertical
- Resolution 800 x 600 pixels (SVGA)
- Analog resistive 5 wire touchscreen technology
- Swivelling and adjustable height housing
- VGA-, mains and serial outputs (RS232)
- On Screen Display (OSD)
- Dirt-, grease-, dust- and splash water resistant surface
- Ergonomic, elegant design
- Integrated power supply with power switch
- Color of housing: ivory, (similar RAL 9002) and black
- Adjustment angle 85°

Options

■ TFT LCD without touchscreen, with glass protection called Screen Commander

Applications

Restaurants, fast food, hotels, gas stations, etc.



Modular touchscreen for open systems

Special Features

- Compact construction
- Flat screen 12,1" TFT with minimum 200 Cd/m²
- Angle of vision at least 90° horizontal, 50° vertical
- Resolution 800 x 600 pixels (SVGA)
- Analog resistive 5 wire touchscreen technology
- Swivelling and adjustable height housing
- VGA-, mains adaptor and series interface (RS232)
- On Screen Display (OSD)
- Dirt-, grease-, dust- and splash water resistant surface
- Ergonomic, elegant design
- Color of housing: ivory, (similar RAL 9002) and black
- Adjustment angle 70°

Options

- Integrated MSR (base)
- MC keyboards can be connected to base
- TFT LCD without touchscreen, with glass protection called Screen Commander

Applications

Restaurants, fast food, hotels, gas stations, etc.

Preh Touch Commander MC 12 Preh Screen Commander MC 12

"pole mount"

Preh Touch Commander MC 12 Preh Screen Commander MC 12 "wall mount"



Touchscreen with an example for adjustable telescope pedestal (pole mount)

Special Features

- Compact construction with universal adapter (VESA) for attaching various pedestals
- Flat screen 12,1" TFT with minimum 200 Cd/m² Angle of vision at least 90° horizontal, 50° vertical
- Resolution 800 x 600 points (SVGA)
- Analog resistive 5 wire touch technology
- VGA-, mains adaptor and series interface (RS232)
- On Screen Display (OSD)
- Dirt-, grease-, dust- and splash water resistant surfac
- Ergonomic, elegant design
- Color of housing: ivory, (similar RAL 9002) and black

Options

TFT LCD without touchscreen, with glass protection called Screen Commander

Applications

Medical, retail, restaurants, fastfood, hotels, gas stations, etc.



Touchscreen with an example for adjustable wall mount solutions

Special Features

- Compact construction with universal adapter (VESA) for attaching various wall adapters
- Flat screen 12,1" TFT with minimum 200 Cd/m² Angle of vision at least 90° horizontal, 50° vertical
- Resolution 800 x 600 points (SVGA)
- Analog resistive 5 wire touch technology
- VGA-, mains adaptor and series interface (RS232)
- On Screen Display (OSD)
- Dirt-, grease-, dust- and splash water resistant surfac
- Ergonomic, elegant design
- Color of housing: ivory, (similar RAL 9002) and black

Options

■ TFT LCD without touchscreen, with glass protection called Screen Commander

Applications

Medical, retail, restaurants, fastfood, hotels, gas stations, etc.

Preh Touch Commander MC 15

multimedia base



15" touchscreen with integrated power supply, loudspeakers

Special Features

- Compact construction
- Flat screen 15"- TFT with minimum 200 Cd/m² Resolution 1024 x 768 pixels (XGA)
- Analog resistive 5 wire touchscreen technology
- Swivelling and adjustable height housing
- Video, power and serial ports (RS232)
- Dirt-, grease-, dust- and splash water resistant surface
- On Screen Display (OSD)
- Ergonomic, elegant design
- Integrated power supply with power switch
- Color of housing: ivory, (similar RAL 9002)
- Adjustment angle 85°
- Base with integrated speakers

Applications

Medical, retail, cinema, hotels, restaurants, gas stations, etc.



Preh-Werke GmbH & Co. KG An der Stadthalle D-97616 Bad Neustadt a. d. Saale Germany Phone +49 (9771) 92-0 Fax +49 (9771) 92-105 www.preh.de marketing@preh.de

Preh-Werke GmbH & Co. KG Werk Willich Hanns-Martin-Schleyer-Str. 12-14 D-47877 Willich Germany Phone +49 (2154) 498-0 Fax +49 (2154) 498-101 sales@preh-willich.de

Electromecanica Portuguesa Preh Lda. Apartado 29 P-4786-909 Trofa/Portugal Phone +351 (252) 400 100 Fax +351 (252) 400 106 preh@preh.pt

Preh Electronics Inc., 590 Telser Road, Unit B USA-Lake Zurich, IL 60047 Phone +1 (847) 438 40 00 Fax +1 (847) 438 55 22 prehsales@preh.com

Preh France Eragny Parc - Bât. Californie BP231 Eragny 95615 Cergy-Pontoise Phone +33 (o) 1 39 09 99 00 Fax +33 (o) 1 39 09 99 09 preh@wanadoo.fr



Preh-Werke GmbH & Co. KG An der Stadthalle D-97616 Bad Neustadt a. d. Saale Germany Phone +49 (0) 9771/92-0 Fax +49 (0) 9771/92-105 www.preh.de industrial-electronics@preh.de

