

## The SonicWALL Network Security Appliance Series

**NETWORK SECURITY** 

**Next Generation Unified Threat Management Protection** 

- SonicWALL's next generation security
- Scalable multi-core hardware and reassembly free deep packet inspection
- Stateful high availability and load balancing features
- Advanced state-ofthe-art performance and lowered TCO
- Advanced routing services and networking features
- Standards-based Voice over IP (VoIP)
- Secure distributed wireless LAN services
- Onboard Quality of Service (QoS)

Organizations of all sizes depend on their networks to access internal and external mission-critical applications. As advances in networking continue to provide tremendous benefit to organizations, they are increasingly challenged by sophisticated and financially-motivated attacks designed to disrupt communication, degrade performance and compromise data.

Malicious attacks penetrate outdated stateful packet inspection firewalls by exploiting higher network levels. Point products add layers of security, but are costly, difficult to manage, limited in controlling network misuse and ineffective against the latest multipronged attacks. The SonicWALL NSA Series revolutionizes network security, utilizing a breakthrough multi-core design and Reassembly-Free Deep Packet Inspection™ (RFDPI), offering complete protection without compromising network performance.

The SonicWALL® Network Security Appliance (NSA) Series overcomes the limitations of existing security solutions by scanning the entirety of each packet for current internal and external threats in real time. Built on a high-speed multi-core processing platform, the NSA Series enables deep packet inspection without adversely impacting the performance of mission-critical networks and applications.

The NSA Series applies next-generation Unified Threat Management (UTM) against a comprehensive array of attacks, combining intrusion prevention, anti-virus and anti-spyware with the application-level control of SonicWALL Application Firewall. With advanced routing, stateful high-availability and high-speed VPN technology, the NSA Series adds security, reliability, functionality and productivity to branch offices, central sites and distributed mid-enterprise networks, while minimizing cost and complexity.

Comprised of the **SonicWALL® NSA 3500, NSA 4500 and NSA 5000**, the NSA Series offers a scalable range of solutions designed to meet the network security needs of any organization.

#### **Features and Benefits**

**SonicWALL's next generation security** incorporates a new level of UTM that integrates intrusion prevention, gateway anti-virus and anti-spyware and features the Application Firewall suite of configurable tools to prevent data leakage and offer granular application control.

Scalable multi-core hardware and reassembly free deep packet inspection scans and eliminates threats of unlimited file sizes, and provides virtually unrestricted concurrent connections with uncompromising speed.

**Stateful high availability and load balancing features** in SonicOS 5.0 Enhanced maximize total network bandwidth and maintain seamless network uptime, delivering uninterrupted access to mission-critical resources, and ensuring that VPN tunnels and other network traffic will not be interrupted in the event of a failover.

#### Advanced state-of-the-art performance and lowered

**TCO** are achieved by using the processing power of multiple cores in unison to dramatically increase throughput and provide simultaneous inspection capabilities, while lowering power consumption.

**Advanced routing services and networking features** incorporate advanced networking and security technology including 802.1g VLANs, WAN/WAN failover,

zone and object-based management, load balancing, advanced NAT modes and more, providing granular configuration flexibility and comprehensive protection at the administrator's discretion.


**Standards-based Voice over IP (VoIP)** capabilities provide the highest levels of security for every element of the VoIP infrastructure, from communications equipment to VoIP-ready devices such as SIP Proxies, H.323 Gatekeepers and Call Servers.

Secure distributed wireless LAN services enable the appliance to function as a secure wireless switch and controller that automatically detects and configures SonicPoints,™ SonicWALL wireless access points, for secure remote access in distributed network environments.

**Onboard Quality of Service (QoS)** features use industry standard 802.1p and Differentiated Services Code Points (DSCP) Class of Service (CoS) designators to provide power-ful and flexible bandwidth management that is vital for Voice over IP, multimedia content and business-critical applications.



#### **Dynamic Security Architecture and Management**



#### **Best-in-Class Threat Protection**


- 1 SonicWALL deep packet inspection protects against network risks such as viruses, worms, Trojans, spyware, phishing attacks, emerging threats and Internet misuse. Application Firewall adds highly-configurable controls to prevent data leakage and manage bandwidth at the application level.
- 2 The SonicWALL Reaseembly-Free Deep Packet Inspection (RFDPI) technology utilizes SonicWALL's multi-core architecture to scan packets in real-time without stalling traffic in memory.


This functionality allows threats to be identified and eliminated over unlimited file sizes and unrestricted concurrent connections, without interruption.

3 The Network Security Appliance Series provides dynamic network protection through continuous, automated security updates, protecting against emerging and evolving threats, without requiring any administrator intervention.

#### **Unified Threat Management Load Balancing**

Single processor designs that include multiple protection technologies are severely limited by a single centralized processor. SonicWALL UTM load balancing integrates a high-speed deep packet inspection and traffic classification engine onto multiple security cores inspecting applications, files and content-based traffic in real time without significantly impacting performance or scalability. This enables the scanning and control of threats for networks that carry bandwidth intensive and latency sensitive applications.





#### SonicWALL Clean VPN™

The Network Security Appliance Series includes innovative SonicWALL Clean VPN™ technology which decontaminates vulnerabilities and malicious code from remote mobile users and branch offices traffic before it enters the corporate network, and without user intervention.




#### **Centralized Policy Management**

The Network Security Appliance Series can be managed using the SonicWALL Global Management System, which provides flexible, powerful and intuitive tools to centrally manage configurations, view real-time monitoring metrics and integrate policy and compliance reporting.

#### Flexible, Customizable Deployment Options - NSA Series At-A-Glance

Every SonicWALL Network Security Appliance solution delivers next generation Unified Threat Management protection, utilizing a breakthrough multi-core hardware design and Reassembly-Free Deep Packet Inspection for internal and external network protection without compromising network performance. Each NSA Series product combines high-speed intrusion prevention, file and content inspection, and powerful Application Firewall controls with an extensive array of advanced networking and flexible configuration features. The NSA Series offers an accessible, affordable platform that is easy to deploy and manage in a wide variety of corporate, branch office and distributed network environments.

- The SonicWALL NSA 5000 sits at the top of the line, and is ideal for the most demanding campus and distributed network environments
- The SonicWALL **NSA 4500** is ideal for corporate central-site and large distributed environments
- The SonicWALL NSA 3500 is ideal for corporate, branch office and distributed environments



#### **Key Features**

# Gateway Anti-Virus, Anti-Spyware, Intrusion Prevention Service and Application Firewall delivers



intelligent, real-time network security protection against sophisticated application layer and content-based attacks including viruses, spyware, worms, Trojans and software vulnerabilities such as buffer overflows.

Application Firewall delivers a suite of configurable tools designed to prevent data leakage while providing granular application-level controls.

#### **Enforced Client and Server Anti-Virus and Anti-Spyware**



delivers comprehensive virus and spyware protection for laptops, desktops and servers using a single integrated client and offers automated network-wide enforcement of anti-virus and anti-spyware policies, definitions and software updates.

Content Filtering Service enforces protection and



productivity policies by employing an innovative rating architecture, utilizing a dynamic database to block up to 56 categories of objectionable Web content.

**ViewPoint Reporting** delivers easy-to-use, Web-based



capabilities that provide administrators instant comprehensive insight into network performance and security. Delivered through a series of historical reports using dashboards and detailed summaries, ViewPoint helps organizations

of all sizes track Internet usage, fulfill regulatory compliance requirements and monitor the security status of their network.

**Dynamic Support Services** are available 8x5 or 24x7



depending on customer needs. Features include world-class technical support, crucial firmware updates and upgrades, access to extensive electronic tools and timely hardware replacement to help organizations get the greatest return

on their SonicWALL investment.

### **Specifications**

Network Security Appliance 3500 01-SSC-7016

Network Security Appliance 4500 01-SSC-7012

Network Security Appliance 5000 01-SSC-7042

	NSA 3500	NSA 4500	NSA 5000	
irewall				
onicOS Version	SonicOS Enhanced 5.0 (or higher)			
ateful Throughput*	1 Gbps	1.5 Gbps	1.8 Gbps	
AV Performance*	310 Mbps	500 MBps	680 Mbps	
S Performance*	220 Mbps	410 Mbps	500 Mbps	
「M Performance Throughput*	170 Mbps	300 Mbps	350 Mbps	
IIX Performance*	440 Mbps	680 Mbps	820 Mbps	
aximum Connections	128,000	450,000	600,000	
ew Connections/Sec	5,000	7,500	8,500	
odes Supported	Unrestricted			
enial of Service Attack Prevention	n 22 classes of DoS, DDoS and scanning attacks			
PN				
DES/AES Throughput*	625 Mbps	845 Mbps	1.1 Gbps	
te-to-Site VPN Tunnels	800	1,500	2,500	
indled Global VPN Client	250	500	1,000	
censes for Remote Access				
ncryption / Authentication	DES, 3DES, AES (128, 192, 256-bit), MD5, SHA-1			
ey Exchange	IKE, IKEv2, Manual Key, PKI (X.509)			
TP/IPSec	Yes			
ertificate Support ead Peer Detection	Verisign, Thawte, Baltimore, RSA Keon, Entrust, and Microsoft CA for SonicWALL-to-SonicWALL VPN			
ead Peer Detection HCP Over VPN	Yes Yes			
Sec NAT Traversal	Yes. NAT Tv00 and v03			
edundant VPN Gateway	Yes, NAI_IVUU and VU3  Yes			
lobal VPN Client Platform Suppor	103			
		Willdows 2000, Willdows AF, Microsoft	Vista 32-bit	
eep Packet Inspection Security Sei				
eep Packet Inspection ignature Service	Comprehensive signature database. Peer- to-peer and instant messaging control and signature updates through Distributed Enforcement Architecture			
ontent Filtering Service (CFS)	HTTP URL,HTTPS IP, keyword and content scanning ActiveX, Java Applet, and cookie blocking			
remium Edition				
ateway-enforced Client nti-Virus and Anti-Spyware	HTTP/S, SMTP, POP3, IMAF	P and FTP, Enforced McAfee™ Clients E-	mail attachment blocking	
pplication Firewall	Provides application level enforcement and bandwidth control, regulate Web traffic, e-mail, e-mail atta			
	and file transfers, scar	n and restrict documents and files for k	ey words and phrases	
etworking				
Address Assignment	Static, (DHCP, PPPoE, L2TP and PPTP client), Internal DHCP server, DHCP relay			
AT Modes	1:1, 1:many, many:1, many:many, flexible NAT (overlapping IPs), PAT, transparent mode			
LAN Interfaces (802.1q)	128	256	256	
outing	OSPF, RIPv1	1/v2, static routes, policy-based routing	g, Multicast	
oS	Bandwidth priority, maximum bandwidth, guaranteed bandwidth, DSCP marking, 802.1p			
v6	IPv6 Ready			
uthentication	XAUTH/RADIUS, Active Directory, SSO, LDAP, internal user database			
ser Database	500 users	1.000 users	1.500 users	
oIP	Full H.323v1-5, SIP, gatekeeper support, outbound bandwidth management, VoIP over WLAN,			

	deep inspection security, rull in	teroperability with most voir gateway	and communications devices	
System				
Zone Security	Yes			
Schedules	Yes			
Object-based/Group-based	Yes			
Management				
DDNS	Yes			
Management and Monitoring	Web GUI (HTTP, HTTPS), Command Line (SSH, Console), SNMP v2: Global management with SonicWALL GMS			
Logging and Reporting	ViewPoint®, Local Log, Syslog			
High Availability	Active/Passive with State Sync			
Load Balancing	Yes, (Outgoing with percent-based, round robin and spill-over) (Incoming with round robin, random distribution, sticky IP, block remap and symmetrical remap)			
Standards	TCP/IP, UDP, ICMP, HTTP, HTTPS, IPSec, ISAKMP/IKE, SNMP, DHCP, PPPoE, L2TP, PPTP, RADIUS			
Wireless Standards	802.11 a/b/g, WEP, WPA, TKIP, 802.1x, EAP-PEAP, EAP-TTLS			
Hardware				
Interfaces	(6) 10/100/1000 Copper Gigabit Ports, 1 Console Interface, 2 USB (Future Use)			
Memory (RAM)	512 MB	512 MB	1 GB	
Flash Memory	512 MB Compact Flash	512 MB Compact Flash	512 MB Compact Flash	
Power Supply	Single 180W ATX Power Supply			
Fans	2 Fans			
Power Input	100-240Vac, 60-50Hz			
Max Power Consumption	64W	66W	66W	
Total Heat Dissipation	219BTU	225BTU	225BTU	
Certifications Pending	ICSA IPSec VPN 1.0d ICSA Firewall 4.1, FIPS 140-2 Level 2, EAL-4+			
Form Factor and Dimensions	1U rack-mountable/17 x 13.25 x 1.75 in/43.18 x 33.65 x 4.44 cm			
Weight	11.30 lbs/ 5.14 kg			
WEEE Weight	11.30 lbs/ 5.14 kg			
Major Regulatory	FCC Class A, CES Class A, CE, C-Tick, VCCI, Compliance MIC, UL, cUL, TUV/GS, CB, NOM, RoHS, WEEE			
Environment	40-105° F, 5-40° C			
Harmitalian	10 000% pap candonsing			

<sup>\*</sup>Testing Methodologies: Maximum performance based on RFC 2544 (for firewall). Actual performance may vary depending on network conditions and activated services. VPN throughput UDP traffic at 1418 byte packet size adhering to RFC 2544. UTM performance is based on HTTP tests run on the Spirent Avalanche/Reflector.

For more information on SonicWALL network security solutions, please visit  ${\bf www.sonicwall.com}.$ 

#### SonicWALL, Inc.

1143 Borregas Avenue T +1 408.745.9600 Sunnyvale CA 94089-1306 F +1 408.745.9300 www.sonicwall.com

